

SAMPLE EVALUATION: POINTS BREAK-UP

STEEL PIPES MDF, CHIPBOARD, VEN BOARD, LAMINATION, PAINT POLISH & FOAMS

S No	Name of Items	Inspection Criteria	Sample Total marks	Breakup	Obtained Marks
1	Steel Square Pipes	Length width thickness	50	15	
		Cold Rolled Bendable		10	
		Smoothness of joint electric laser joint		15	
		Fine Surface		05	
		Color Silver color with slight shade		05	
2	Chip Boards, MDF Boards all sizes	Length width thickness	50	15	
		Density		15	
		Compaction		10	
		Surface		10	
3.	Vim Board All sizes	Length width thickness	50	15	
		Density		15	
		Compaction		10	
		Surface		05	
		Quality of veneer press grain colour		05	
4.	Lamination Board	Length width thickness	50	15	
		Density		15	
		Compaction		10	
		Quality of Lamination		05	
		Surface		05	
5.	Enemal Paint (Deco)	(Paint +Thinner) Covering capacity	50	20	
		Thinning ratio		10	
		Surface full glass		05	
		Drying time		05	
		Solvent/clear thinner		10	
6	NC Aluminum, NC Charcoal grey, NC Premiere gray Paint	Covering Capacity	50	20	
		Thinning ratio		10	
		Touch dry (Time)		10	
		Handling dry (Time)		10	
7	NC Wood Sealer NC Lacquer Paint	Grid Clear bit free	50	10	
		Colour		05	
		Thinning ratio		10	
		Covering capacity		20	
		Drying time		05	
8.	Thinner	Grind Clear	50	10	
		Colour		10	
		Evaporation point		15	
		Quick Dry		15	
9.	Foam different size	Length with thickness	50	10	
		Density		20	
		Warranty Period		20	

Apart from above features should be counted towards the additional feature of product and Two numbers are included in the matric set for square pipes, foams, paint and all types of boards in the SBDs.

SAMPLE EVALUATION : POINTS BREAK-UP

FOR SHISHAM, MULBERRY, KIKER WOOD LOGS

S No	Name of Items	Inspection Criteria	Sample Total marks	Breakup	Obtained Marks
1	Shisham Wood –A Grade	Girth above 5 feet	50	10	
		Branch less		10	
		Sap Wood		10	
		Main Stem (Matured Wood)		10	
		Without damage and hole		10	
2	Shisham Wood B-Grade	Girth 3.5 feet and above	50	10	
		Branch Less		10	
		Sap Wood		10	
		Main stem (Matured Wood)		10	
		Without damage and hole		10	
3	Mulberry Wood	Girth 3.5 feet and above	50	10	
		Branch Less		10	
		Sap Wood		10	
		Main stem (Matured Wood)		10	
		Without damage and hole		10	
4	Kiker Wood	Girth 3.5 feet and above	50	10	
		Branch Less		10	
		Sap Wood		10	
		Main stem (Matured Wood)		10	
		Without damage and hole		10	

SAMPLE EVALUATION : POINTS BREAK-UP

FOR WOOD CUT MATERIALS

S No	Name of Items	Inspection Criteria	Sample Total marks	Breakup	Obtained Marks
1	Shisham Wood cut Material finish shape shisham wood back strips shisham wood ships Arm	Length width thickness	30	10	
		Edge Removal		05	
		Sanding		05	
		Seasoned		05	
		Quality of wood		05	
2	Drawer Side /Bed Rail	Length width thickness	30	10	
		Straightness		05	
		Without know & Yellow, crack, eatan		10	
		Quality of wood		05	
3	Seat & Back frame Without cane	Length width thickness (overall)	30	10	
		Quality of wood		05	
		Edge removal		05	
		Joint & Seasoned Wood		10	
4	Seat & back with knitting natural double cane	Length width thickness (overall)	30	10	
		Quality of Wood and Edge Removal		05	
		Quality of natural cane		05	
		Joints and seasoning		10	

SAMPLE EVALUATION : POINTS BREAK-UP

FOR SUPER SHISHAM VENEER & PEDESTAL

S No	Name of Items	Inspection Criteria	Sample Total marks	Breakup	Obtained Marks
1	Revolving pedestal	Pedestal Plate thread	50	15	
		Weight with assembly and without assembly		15	
		Quality of wheel		10	
		Finishing		10	
2	Super Shisham Veneer	Length with thickness	50	10	
		Slicing without stain		10	
		Edge protection		10	
		Surface		10	
		Quality of wood used.		10	